



SHD-1372FPW

In-ceiling Housing



Key Features

- Color : White
- Material: Aluminum
- Product dimensions / Weight: $\phi 352 \times 107 \text{mm}$ ($\phi 13.86 \times 4.23 \text{''}$) / 2450g (5.40lb)
 - ※ Ceiling hole size : 19.1mm($3/4 \text{''}$)(M25), 12.7mm($1/2 \text{''}$)(M20)
- Tile thickness : 10~70mm (0.4~2.8")

SHD-1372FPW

In-ceiling Housing



Specifications

Mechanical	
Color	White
Material	Aluminum
RAL code	RAL9003
Product dimensions / weight	ø352x107.4mm(ø13.86x4.23") / 2450g(5.40lb)
Tile thickness	10~70mm(0.4~2.8")
Mount Screw size	TR20
Max. load	5Kg(11.02lb) ※ Maximum load of ceiling board: 11.6kg(25.60lb)
Conduit hole	19.1mm(3/4")(M25), 12.7mm(1/2")(M20)
Supported products	PND-A7082RV, PND-A9082RV, PND-A6081R, PND-A9081R, XND-6083RV, XND-8083RV, XND-8093RV, XND-9083RV

SHD-1372FPW

In-ceiling Housing



CAD

Unit: mm [inch]

Technical drawing showing various views of the SHD-1372FPW in-ceiling housing:

- Top view: Diameter $\varnothing 180$ [7.09]
- Side view: Diameter $\varnothing 154.8$ [6.09]
- Front view: Total height 118.41 [4.66], mounting bracket height 108.7 [4.28]
- Bottom view: PCB label: PCB-03AL74, W58x4-W5DC14

3	MODEL 2	
2	MODEL 1	
1	SHD-1372FPW	'25.09.22
No.	MODEL NAME	DATE
Unit:mm[inch] SCALE:1/1		Hanwha Vision

© Hanwha Vision Co.,Ltd. All rights reserved.